


Exceptional protection and longer life

- with sealed SKF Explorer spherical roller bearings



A full range of reliability

In industrial production, every minute of downtime is critical. Contaminated environments, heavy radial and axial loads in applications prone to misalignment or shaft deflections are daily issues for many industries. Problems with leaking grease and frequent relubrication in potentially hard to reach lubrication points also add to growing costs – not to mention the potential risks to workplace safety. For many, simply making it to the next planned maintenance stop without machine failure is a challenge.

With sealed SKF Explorer spherical roller bearings, you are equipped to meet these challenges. Pre-lubricated with a specially formulated grease and sealed with high-performance contact seals, they can protect the bearing and lubricant from contaminants that might otherwise cause premature bearing failure. Their high load carrying capacity and ability to accommodate misalignment further helps you reduce maintenance costs and prolong bearing service life.

Sealed SKF Explorer spherical roller bearings offer a unique opportunity to help reduce the risk of failure. They will help you reduce your overall costs and your environmental footprint – as well as the risk of worker injury. It's simply the future of reliable operations.



We offer the widest range of spherical roller bearings in the industry – both open and sealed – and can offer sealed bearings with an outer diameter up to 2 500 mm. We are the only manufacturer whose full standard range of spherical roller bearings, up to an outer diameter of 420 mm, is all available sealed, off the shelf.

Sealed SKF Explorer spherical roller bearing range

w Bore (mm)	Series	222	223	230	231	232	239	240	241	Bore dim.
25	↔ RS									05
30	↔ RS									06
35	↔ RS									07
40	↔ RS ↔ RS									08
45	↔ RS ↔ RS									09
50	↔ RS ↔ RS									10
55	↔ RS ↔ RS									11
60	↔ RS ↔ RS									12
65	↔ RS ↔ RS							RS		13
70	↔ RS ↔ RS							RS		14
75	↔ RS ↔ RS							RS		15
80	↔ RS ↔ RS									16
85	↔ RS ↔ RS									17
90	↔ RS ↔ RS					RS				18
95	↔ RS ↔ RS									19
100	↔ RS ↔			RS	RS			RS	RS	20
110	↔ RS ↔		RS					RS		22
120	↔ RS		RS							24
130	↔									26
140										28
150										30
160										32
170										34
180										36
190										38
200										40
220										44
240										48
260										52
280										56
300										60
320										64
340										68
360										72
380										76
400										80
420										84
440										88
460										92
480										96
500										/500
530										/530
560										/560
600										/600
630										/630
670										/670
710										/710
750										/750
800										/800
850										/850
900										/900
950										/950
1 000										/1 000
1 060										/1 060
1 120										/1 120
1 180										/1 180
1 250										/1 250

↔ = Wider than ISO - Prefix BS2 RS = Seal with designation suffix RS
 □ = Please contact your SKF representative to request this size.

For superior field performance

For original equipment manufacturers (OEM), sealed SKF Explorer spherical roller bearings offer a range of benefits. For OEMs, it's particularly worth mentioning that the need for a lubrication system could potentially be removed; we're talking a simplified and sustainable design that means low maintenance and increased safety. In many cases, since the bearing has integrated seals, the external sealing can be simplified or in some cases totally excluded, allowing for more compact designs. This also means that they are easy to handle during mounting. Sealed SKF Explorer spherical roller bearings mean a clear reduction in the total cost of your machine - and a key differentiator for your customer.

For end users, surviving to the next planned stop is critical. Focusing on production rather than worrying about failures enables you to create a more efficient and safer workplace. And when you have a sealed bearing that on average offers three times the service life of an open one, life gets a whole lot easier. If you also consider the almost non-existent grease leakage, sealed SKF Explorer spherical roller bearings not only reduce your environmental footprint, they also minimize the costs for grease purchase and disposal.

Compared with open spherical roller bearings, sealed SKF Explorer spherical roller bearings offer massive benefits for both OEMs and end users.

OEM benefits



Extended grease life



- Lower maintenance
- Safer maintenance
- Sustainable operations
- No need for lubrication system



Compact design



- The ability to downsize
- Possibility for simpler housing design
- Less need for external seals
- Easier mounting



Longer service life



- Reduced warranty cost
- Potentially extended warranty
- Differentiator supporting end users' KPIs

These benefits will reduce the total cost of your machine and enhance your offer.



End user benefits

Get **3x** 
service life



- Increased availability of machines
- Reduced risk of failure
- Lower overall bearing purchase cost
- Operate to planned maintenance stop

Cut **99%** 
of grease consumption



- Minimized purchase and disposal costs
- Reduced grease leakage
- Reduced overall environmental impact

Cut **90%** 
of relubrication tasks from your calendar




- Reduced maintenance needs
- Reduced risk of injury
- Possibility to optimize manpower

Good for productivity and maintenance in harsh operating environments

Sealed SKF Explorer spherical roller bearings can significantly increase bearing service life in contaminated environments.

A sealed bearing has a service life of up to three times longer than an open bearing. Longer service life leads to a more productive and profitable operation.



Upgraded SKF Three-barrier solution


For the harshest operating environments, SKF recommends the upgraded three-barrier solution that has an average life-time three times longer than an open bearing.

The upgraded SKF Three-barrier solution means re-greasing twice a year instead of once a week, saving up to 90% of the time and cost of greasing and increasing safety for maintenance workers.

Barrier 1 SMS (SKF Mining specific) housing with SKF Taconite sealing

Barrier 2 SKF LGGB 2 biodegradable grease

Barrier 3 Sealed SKF Explorer spherical roller bearing



Half the friction, twice the speed

Small sealed SKF Spherical roller bearing with designation suffix RS (shown in diagram on page 3)

- A design that results in up to 50% less seal friction
- Reduce operating temperatures by as much as 20 °C (36 °F) (see diagram below), enabling us to double the limiting speed rating


As a result, more applications can benefit from the superior contamination protection of sealed SKF Spherical roller bearings.

Sealed spherical roller bearings are suitable for a wide range of applications including elevators, off-highway and agricultural machinery, fans and fluid machinery, food and beverage equipment, conveyors and some small electric motors.


Seal groove design improves seal anchorage for a better fit

Rubberized side face, more resistant to scratches and corrosion

Seal lip with optimized seal lip pressure – reduces seal friction by up to 50%



Sealed SKF spherical roller bearing operating temperature



Test conditions:

Bearings: 23022-2CS/VT143 and 23022-2RS/VT143

Load: C/P = 10, pure radial load

Speed: 900 r/min and 1 200 r/min

Temperature measured on outer ring

The reduced seal friction of the bearings with improved performance seal (designation suffix RS) results in lower operating temperature, enabling extended relubrication intervals.

SKF Explorer bearings

SKF Explorer rolling bearings accommodate higher load levels and provide extended service life. Optimized internal geometry reduces friction, wear and heat generation, allowing heavier loads to be accommodated. Their advanced surface finish reduces friction and enhances lubricating conditions.

Benefits of using SKF Explorer bearings include:

- significantly extended service life
- increased uptime and productivity
- extended lubricant life
- reduced sensitivity to misalignment
- reduced noise and vibration
- the prospect of downsizing applications

skf.com

® SKF is a registered trademark of AB SKF (publ).

© SKF Group 2023. All rights reserved. Please note that this publication may not be copied or distributed, in whole or in part, unless prior written permission is granted.

Every care has been taken to ensure the accuracy of the information contained in this publication, but no liability can be accepted for any loss or damage whether direct, indirect or consequential arising out of the use of the information contained herein.

PUB BU/P2 18959/2 EN · February 2023

Certain image(s) used under license from Shutterstock.com.